

SRHS: LATIN NAME - COMMON NAME CROSSWALK TABLE

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|---|-----------|---------------------------|-------|---------|
| <i>Abies grandis</i> | ABIGRA | grand fir | N | |
| <i>Accipiter cooperi</i> | ACCCOO | Cooper's Hawk | N | |
| <i>Accipiter gentilis</i> | ACCGEN | Northern Goshawk | N | |
| <i>Acer circinatum</i> | ACECIR | vine maple | N | |
| <i>Acer macrophyllum</i> | ACEMAC | bigleaf maple | N | |
| <i>Acer platanoides</i> | ACEPLA | Norway maple | E | |
| <i>Acer</i> | ACER | maple | | |
| <i>Achnatherum lemmonii</i> | ACHLEM | Lemmon's needlegrass | N | |
| <i>Adenocaulon bicolor</i> | ADEBIC | trailplant; pathfinder | N | |
| <i>Aesculus hippocastanum</i> | AESHIP | horsechestnut | E | |
| <i>Agrostis capillaris</i> | AGRCAP | colonial bentgrass | E | |
| <i>Agrostis hallii</i> | AGRHAL | Hall's bentgrass | N | |
| <i>Agrostis howellii</i> | AGRHOW | Howell's bentgrass | N | |
| <i>Agropyron repens</i> | AGRREP | quackgrass | E | |
| <i>Agrostis stolonifera</i> | AGRSTO | creeping bentgrass | E | |
| <i>Aira caryophyllea</i> | AIRCAR | silver hairgrass | E | |
| <i>Aira caryophyllea</i> var. <i>caryophyllea</i> | AIRCARCAR | silver hairgrass | E | |
| <i>Ajuga reptans</i> | AJUREP | ajuga | E | |
| <i>Alisma gramineum</i> | ALIGRA | narrowleaf waterplantain | N | |
| <i>Allium amplexans</i> | ALLAMP | narrowleaf onion | N | |
| <i>Alnus rhombifolia</i> | ALNRHO | white alder | N | |
| <i>Alnus rubra</i> | ALNRUB | red alder | N | |
| <i>Alopecurus pratensis</i> | ALOPRA | meadow foxtail | E | |
| <i>Amelanchier alnifolia</i> | AMEALN | Pacific serviceberry | N | |
| <i>Ammodramus savannarum</i> | AMMSAV | grasshopper sparrow | N | |
| <i>Aneides ferreus</i> | ANEFER | clouded salamander | N | |
| <i>Anthoxanthum odoratum</i> | ANTODO | sweet vernalgrass | E | |
| <i>Apocynum androsaemifolium</i> | APOAND | spreading dogbane | N | |
| <i>Apocynum cannabinum</i> | APOCAN | hemp dogbane | N | |
| <i>Apocynum sibiricum</i> var. <i>salignum</i> | APOSIBSAL | clasping-leaved dogbane | N | |
| <i>Aquilegia formosa</i> | AQUFOR | western columbine | N | |
| <i>Arborimus albipes</i> | ARBALB | white-footed vole | N | |
| <i>Arborimus longicaudus longicaudis</i> | ARBLONLON | red tree vole | N | |
| <i>Arbutus menziesii</i> | ARBMEN | Pacific madrone | N | |
| <i>Arrhenatherum elatius</i> | ARRELA | tall oatgrass | E | |
| <i>Asclepias fascicularis</i> | ASCFAS | narrow-leaved milkweed | N | |
| <i>Asclepias speciosa</i> | ASCspe | showy milkweed | N | |
| <i>Aster hallii</i> | ASTHAL | Hall's aster | N | |
| <i>Athyrium filix-femina</i> | ATHFIL | ladyfern | N | |
| <i>Avena fatua</i> | AVEFAT | wild oats | E | |
| <i>Batrachoseps wrightorum</i> | BATWRI | Oregon slender salamander | N | |
| <i>Bellis perennis</i> | BELPER | English daisy | E | |
| <i>Berberis aquifolium</i> | BERAQU | tall Oregongrape | N | |
| <i>Berberis nervosa</i> | BERNER | dwarf Oregongrape | N | |
| <i>Brachypodium sylvaticum</i> | BRASYL | false-brome | E | |
| <i>Bromus carinatus</i> | BROCAR | California brome | N | |
| <i>Bromus diandrus</i> | BRODIA | ripgut brome | E | |
| <i>Bromus hordeaceus</i> | BROHOR | soft brome | E | |
| <i>Bromus</i> spp. (native) | BROMUS | Brome grasses | N | |
| <i>Bromus</i> ssp. (invasives) | BROMUSi | Brome grasses | E | |
| <i>Bromus secalinus</i> | BROSEC | rye brome | E | |

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|---|-----------|------------------------------|-------|----------------------------|
| <i>Bromus sitchensis</i> | BROSIT | Sitka brome | N | |
| <i>Bromus sterilis</i> | BROSTE | sterile brome | E | |
| <i>Bromus vulgaris</i> | BROVUL | Columbia brome | N | |
| <i>Bufo boreas</i> | BUFBOR | western toad | N | |
| <i>Calystegia atriplicifolia</i> ssp. <i>atriplicifolia</i> | CALATR | night-blmg morning glory | N | |
| <i>Calocedrus decurrens</i> | CALDEC | incense-cedar | N | |
| <i>Calycadenia truncata</i> | CALTRU | rosin weed, tackweed | N | |
| <i>Camassia leichtlinii</i> | CAMLEI | Lechtlin's camas | N | |
| <i>Camassia quamash</i> | camqua | camas | N | |
| <i>Carex amplifolia</i> | CARAMP | bigleaf sedge | N | |
| <i>Carex aurea</i> | CARAUR | golden-fruited sedge | N | |
| <i>Carex densa</i> | CARDEN | dense sedge | N | |
| <i>Carex deweyana</i> | CARDEW | Dewey's sedge | N | |
| <i>Carex hendersonii</i> | CARHEN | Henderson's sedge | N | |
| <i>Carex leptopoda</i> | CARLEP | taperfruit shortscale sedge | N | |
| <i>Cardamine nuttallii</i> | CARNUT | spring beauty | N | |
| <i>Cardamine nuttallii</i> var. <i>dissecta</i> | CARNUTDIS | dissected toothwort | N | |
| <i>Cardamine nuttallii</i> var. <i>nuttallii</i> | CARNUTNUT | spring beauty | N | |
| <i>Carex obnupta</i> | CAROBN | slough sedge | N | |
| <i>Carex tumulicola</i> | CARTUM | foothill sedge | N | |
| <i>Centaurea melitensis</i> | CENMEL | Maltese star-thistle | E | |
| <i>Centaurea pratensis</i> | CENPRA | meadow knapweed | E | |
| <i>Cephalanthera austiniiae</i> | CEPAUS | ghost orchid | N | |
| <i>Chamaecyparis lawsoniana</i> | CHALAW | Port Orford cedar | N | |
| <i>Chordeiles minor</i> | CHOMIN | common nighthawk | N | |
| <i>Cicendia quadrangularis</i> | CICQUA | timwort | N | |
| <i>Cimicifuga elata</i> var. <i>elata</i> | CIMELA | tall bugbane | N | |
| <i>Circaea alpina</i> | CIRALP | enchanter's nightshade | N | |
| <i>Cirsium arvense</i> | CIRARV | Canada thistle | E | |
| <i>Cirsium vulgare</i> | CIRVUL | bull thistle | E | |
| <i>Clarkia amoena</i> | CLAAMO | farewell-to-spring | N | |
| <i>Claytonia perfoliata</i> | CLAPER | miner's lettuce | N | |
| <i>Claytonia sibirica</i> | CLASIB | candyflower; miner's lettuce | N | |
| <i>Clematis vitalba</i> | CLEVIT | old man's beard | E | |
| <i>Collomia grandiflora</i> | COLGRA | large-flowered collomia | N | |
| <i>Contopus cooperi</i> | CONCOO | olive-sided flycatcher | N | |
| <i>Conium maculatum</i> | CONMAC | poison hemlock | E | |
| <i>Corylus cornuta</i> var. <i>californica</i> | CORCORCAL | California hazelnut | N | |
| <i>Corallorhiza maculata</i> | CORMAC | spotted coralroot | N | |
| <i>Cornus nuttallii</i> | CORNUT | western dogwood | N | |
| <i>Cornus sericea</i> | CORSER | red twig dogwood | N | |
| <i>Corynorhinus townsendii</i> | CORTOW | Townsend's big-eared bat | N | |
| <i>Cotoneaster</i> | COTON | cotoneaster (ornamental) | E | |
| <i>Crataegus douglasii</i> | CRADOU | Douglas' hawthorn | N | C. suksdorfii in SRHS area |
| <i>Crataegus monogyna</i> | CRAMON | English hawthorne | E | |
| <i>Crotalus viridis</i> | CROVIR | western rattlesnake | N | |
| <i>Cynosurus cristatus</i> | CYNCRI | crested dogtail grass | E | |
| <i>Cynosurus echinatus</i> | CYNECH | hedgehog dogtail | E | |
| <i>Cypripedium montanum</i> | CYPMON | mountain lady's-slipper | N | |
| <i>Cytisus scoparius</i> | CYTSCO | Scot's broom | E | |
| <i>Dactylis glomerata</i> | DACGLO | orchardgrass | E | |
| <i>Danthonia californica</i> | DANCAL | California oatgrass | N | |
| <i>Daphne laureola</i> | DAPLAU | spurge laurel | E | |

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|--|------------|--------------------------------|-------|---------|
| <i>Daucus carota</i> | DAUCAR | Queen Anne's lace | E | |
| <i>Delphinium oreganum</i> | DELORE | Willamette Valley larkspur | N | |
| <i>Delphinium trolliifolium</i> | DELTRO | tall larkspur | N | |
| <i>Deschampsia cespitosa</i> | DESCES | tufted hairgrass | N | |
| <i>Deschampsia elongata</i> | DESELO | slender hairgrass | N | |
| <i>Dichelostemma congestum</i> | DICCON | ookow | N | |
| <i>Dipsacus fullonum</i> | DIPFUL | common teasel | E | |
| <i>Dodecatheon hendersonii</i> | DODHEN | Henderson's shooting star | N | |
| <i>Dodecatheon pulchellum</i> var. <i>macroca</i> | DODPULMAC | beautiful shooting star | N | |
| <i>Dryopteris arguta</i> | DRYARG | coastal shield fern | N | |
| <i>Dryocopus pileatus</i> | DRYPIL | pileated woodpecker | N | |
| <i>Eleocharis palustris</i> | ELEPAL | creeping spikerush | N | |
| <i>Elymus glaucus</i> | ELYGLA | blue wildrye | N | |
| <i>Elymus trachycaulus</i> | ELYTRA | Slender Wheatgrass | N | |
| <i>Empidonax traillii brewsteri</i> | EMPTRABRE | little willow flycatcher | N | |
| <i>Enemion stipitatum</i> | ENESTI | dwarf enemion; rue-anemone | N | |
| <i>Epilobium brachycarpum</i> | EPIBRA | tall annual willowherb | N | |
| <i>Equisetum arvensis</i> | EQUARV | common horsetail | N | |
| <i>Equisetum</i> sp. | EQUIS | horsetail | N | |
| <i>Equisetum telmateia</i> | EQUTEL | giant horsetail | N | |
| <i>Eremophila alpestris strigata</i> | ERREALPSTR | streaked horned lark | N | |
| <i>Erigeron decumbens</i> var. <i>decumbens</i> | ERIDECDEC | Willamette daisy | N | |
| <i>Eriophyllum lanatum</i> | ERILAN | Oregon sunshine | N | |
| <i>Erigeron philadelphicus</i> | ERIPHI | Philadelphia daisy | N | |
| <i>Erythronium oreganum</i> | ERYORE | yellow fawn lily | N | |
| <i>Eucephalus (Aster) vialis</i> | EUCVIA | wayside aster | N | |
| <i>Euphydryas editha taylori</i> | EUPEDITAY | Taylor's checkerspot | N | |
| Exotic Fruit Trees | ExFruit | exotic fruit trees | E | |
| <i>Falco peregrinus anatum</i> | FALPERANA | American peregrine falcon | N | |
| <i>Festuca arundinacea</i> | FESARU | tall fescue | E | |
| <i>Festuca californica</i> | FESCAL | California fescue | N | |
| <i>Festuca occidentalis</i> | FESOCC | western Fescue | N | |
| <i>Festuca roemeri</i> | FESROE | Roemer's fescue | N | |
| <i>Fraxinus latifolia</i> | FRALAT | Oregon ash | N | |
| <i>Fragaria vesca</i> | FRAVES | woods strawberry | N | |
| <i>Fragaria virginiana</i> ssp. <i>platypetala</i> | FRAVIRPLA | broadpetal strawberry | N | |
| <i>Fritillaria affinis</i> | FRIAFF | rice-root lily; Chocolate lily | N | |
| <i>Galium aparine</i> | GALAPA | cleavers | N | |
| <i>Geranium dissectum</i> | GERDIS | cutleaf geranium | E | |
| <i>Geranium lucidum</i> | GERLUC | shining geranium | E | |
| <i>Geranium molle</i> | GERMOL | soft geranium | E | |
| <i>Geranium oreganum</i> | GERORE | Oregon geranium | N | |
| <i>Geranium robertianum</i> | GERROB | herb Robert, stinky Bob | E | |
| <i>Geum macrophyllum</i> | GEUMAC | large-leaved avens | N | |
| <i>Gilia sinistra</i> ssp. <i>sinistra</i> | GILSINSIN | sinister gilia | N | |
| <i>Glyceria occidentalis</i> | GLYOCC | western mannagrass | N | |
| <i>Glyceria striata</i> | GLYSTR | tall mannagrass | N | |
| <i>Goodyera oblongifolia</i> | GOOBL | rattlesnake plantain | N | |
| <i>Haliaeetus leucocephalus</i> | HALLEU | bald eagle | N | |
| <i>Hedera</i> | HEDER | ivy | E | |
| <i>Hedera helix</i> | HEDHEL | English ivy | E | |
| <i>Hedera hibernica</i> | HEDHIB | Irish ivy | E | |
| <i>Heracleum lanatum</i> | HERLAN | cow parsnip | N | |

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|---|-----------|----------------------------|-------|--------------------------------|
| <i>Hierochloa odorata</i> | HIEODO | holy grass | N | |
| <i>Holodiscus discolor</i> | HOLDIS | oceanspray | N | |
| <i>Holcus lanatus</i> | HOLLAN | common velvetgrass | E | |
| <i>Holcus mollis</i> | HOLMOL | creeping velvetgrass | E | |
| <i>Horkelia congesta</i> | HORCON | shaggy horkelia | N | |
| <i>Horkelia congesta</i> ssp. <i>congesta</i> | HORCONCO | shaggy horkelia | N | |
| <i>Howellia aquatilis</i> | HOWAQU | howellia | N | |
| <i>Hydrophyllum tenuipes</i> | HYDTEN | waterleaf | N | |
| <i>Hypericum perforatum</i> | HYPPER | common St. Johnswort | E | |
| <i>Hypochaeris radicata</i> | HYPRAD | false dandelion, cat's ear | E | |
| <i>Icaricia icarioides fenderi</i> | ICAICAFEN | Fender's blue butterfly | N | |
| <i>Icteria virens</i> | ICTVIR | yellow-breasted chat | N | |
| <i>Ilex aquifolium</i> | ILEAQU | English holly | E | |
| <i>Iris pseudacorus</i> | IRIPSE | yellow Iris | E | |
| <i>Iris tenax</i> | IRITEN | Oregon iris | N | |
| <i>Juglans nigra</i> | JUGNIG | black walnut | E | |
| <i>Juncus bufonius</i> | JUNBUF | toad rush | N | |
| <i>Juncus effusus</i> | JUNEFF | Pacific rush | N | |
| <i>Juncus patens</i> | JUNPAT | spreading rush | N | |
| <i>Juncus tenuis</i> | JUNTEN | slender rush | N | |
| <i>Koeleria macrantha</i> | KOEMAC | prairie junegrass | N | |
| <i>Lactuca muralis</i> | LACMUR | wall lettuce | E | |
| <i>Lapsana communis</i> | LAPCOM | nipplewort | E | |
| <i>Lasionycteris noctivagans</i> | LASNOC | silver-haired bat | N | |
| <i>Lathyrus aphaca</i> | lataph | yellow vetchling | E | |
| <i>Lathyrus holochlorus</i> | LATHOL | thin-leaved peavine | N | |
| <i>Lathyrus latifolius</i> | LATLAT | perennial sweetpea | E | |
| <i>Lathyrus nevadensis</i> | LATNEV | Sierra pea | N | |
| <i>Lathyrus sphaericus</i> | LATSPH | grass pea | E | |
| <i>Lathyrus sylvestris</i> | LATSYL | narrowleaf pea | E | |
| <i>Lathyrus vestitus</i> var. <i>ochropetalus</i> | LATVESOCH | Pacific pea | N | |
| <i>Leontodon taraxacoides</i> ssp. <i>tarax.</i> | LEOTARTAR | hairy hawkbit | E | |
| <i>Leucanthemum vulgare</i> | LEUVUL | oxeye daisy | E | |
| <i>Ligusticum apiifolium</i> | LIGAPI | celery-leaved lovage | N | |
| <i>Ligustrum</i> | LIGUS | privet (ornamental) | E | |
| <i>Ligustrum vulgare</i> | LIGVUL | common privet | E | |
| <i>Lilium columbianum</i> | LILCOL | Columbia lily | N | |
| <i>Linum bienne</i> | LINBIE | blue flax | E | |
| <i>Lithophragma parviflora</i> | LITPAR | prairie star | N | |
| <i>Lolium multiflorum</i> | LOLMUL | annual ryegrass | E | |
| <i>Lolium perenne</i> | LOLPER | perennial ryegrass | E | |
| <i>Lomatium bradshawii</i> | LOMBRA | Bradshaw's lomatium | N | |
| <i>Lomatium macrocarpum</i> | LOMMAC | large-fruited lomatium | N | |
| <i>Lomatium nudicaule</i> | LOMNUD | barestem lomatium | N | |
| <i>Lonicera ciliata</i> | LONCIL | orange honeysuckle | N | |
| <i>Lonicera hispidula</i> | LONHIS | hairy honeysuckle | N | |
| <i>Lupinus affinis</i> | LUPAFF | fleshy lupine | N | |
| <i>Lupinus polyphyllus</i> | LUPPOL | many-leaved lupine | N | |
| <i>Lupinus rivularis</i> | LUPRIV | riverbank lupine | N | |
| <i>Lupinus sulphureus</i> ssp. <i>kincaidii</i> | LUPSULKIN | Kincaid's lupine | N | |
| <i>Lychnis</i> | LYCHN | campion | E | |
| <i>Madia glomerata</i> | MADGLO | mountain tarweed | N | |
| <i>Madia madioides</i> | MADMAD | woodland tarweed | N | = <i>Ansiocarpus madioides</i> |

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|--|----------|---------------------------------|-------|---------|
| <i>Madia sativa</i> | MADSAT | coast tarweed | N | |
| <i>Maianthemum racemosum</i> | MAIRAC | false Solomon's seal | N | |
| <i>Maianthemum stellatum</i> | MAISTE | star-flwr. false Soloman's seal | N | |
| <i>Malus x domestica</i> | MALDOM | domestic apple | E | |
| <i>Marah oregana</i> | MARORE | Oregon bigroot | N | |
| <i>Melanerpes formicivorus</i> | MELFOR | acorn woodpecker | N | |
| <i>Melanerpes lewis</i> | MELLEW | Lewis's woodpecker | N | |
| <i>Melissa officinalis</i> | MELOFF | lemon balm | E | |
| <i>Melica subulata</i> | melsub | Alaska oniongrass | N | |
| <i>Mentha pulegium</i> | MENPUL | pennyroyal | E | |
| <i>Mertensia platyphylla</i> | MERPLA | blue bells | N | |
| <i>Mimulus guttatus</i> | MIMGUT | monkeyflower | N | |
| <i>Montia dichotema</i> | MONDIC | dwarf montia | N | |
| <i>Montia howellii</i> | MONHOW | Howell's montia | N | |
| <i>Myosotis arvensis</i> | MYOARV | field forget-me-not | E | |
| <i>Myotis californicus</i> | MYOCAL | California myotis | N | |
| <i>Myosotis discolor</i> | MYODIS | yellow & blue forget-me-not | E | |
| <i>Myotis evotis</i> | MYOEVO | long-eared myotis | N | |
| <i>Myotis volans</i> | MYOVOL | long-legged myotis | N | |
| <i>Navarretia leucocephala</i> | NAVLEU | white-flowered navarretia | E | |
| <i>Navarretia willamettensis</i> | NAVWIL | Willamette navarretia | E | |
| oak-associated species | OAS | oak-associated species | N | |
| <i>Oemleria cerasiformis</i> | OEMCER | osoberry | N | |
| <i>Oenanthe sarmentosa</i> | OENSAR | water parsley | N | |
| <i>Olsynium douglasii</i> | OLSDOU | grass widows | N | |
| <i>Oreortyx pictus</i> | OREPIC | mountain quail | N | |
| Ornamental shrubs | ORNAM | ornamental shrubs | E | |
| <i>Orobanche pinorum</i> | OROPIN | oceanspray broomrape | N | |
| <i>Osmorhiza berteroi</i> | OSMBER | mountain sweet cicely | N | |
| <i>Otus kennicottii</i> | OTUKEN | western screech-owl | N | |
| <i>Panicum occidentale</i> | PANOCC | western witchgrass | N | |
| <i>Parentucellia viscosa</i> | PARVIS | parentucellia | E | |
| <i>Patagioenas fasciata</i> | PATFAS | band-tailed pigeon | N | |
| <i>Pellaea andromedifolia</i> | PELAND | coffee fern | N | |
| <i>Phalaris arundinacea</i> | PHAARU | reed canarygrass | E | |
| <i>Phleum pratense</i> | PHLPRA | timothy | E | |
| <i>Physocarpus capitatus</i> | PHYCAP | Pacific ninebark | N | |
| <i>Pinus contorta</i> | PINCON | lodgepole pine | N | |
| <i>Pinus ponderosa</i> | PINPON | ponderosa pine | N | |
| <i>Plectritis congesta</i> | PLECON | sea pink | N | |
| <i>Poa palustris</i> | POAPAL | fowl bluegrass | ? | |
| <i>Poa pratensis</i> | POAPRA | Kentucky bluegrass | E | |
| <i>Polypodium glycerrhiza</i> | POLGLY | licorice fern | N | |
| <i>Polystichum munitum</i> | POLMUN | western swordfern | N | |
| <i>Polygonum punctatum</i> | POLPUN | dotted smartweed | N | |
| <i>Poocetes gramineus affinis</i> | POOGRAFF | Oregon vesper sparrow | N | |
| <i>Populus balsamifera</i> = <i>P. trichocarpa</i> | POPBAL | black cottonwood | N | |
| <i>Populus nigra</i> | POPNI | black poplar | E | |
| <i>Populus trichocarpa</i> | POPTRI | black cottonwood | N | |
| <i>Potentilla gracilis</i> | POTGRA | slender cinquefoil | N | |
| <i>Potamogeton natans</i> | POTNAT | pondweed | N | |
| <i>Prosartes hookeri</i> | PROHOO | Hooker's fairybells | N | |
| <i>Progne subis</i> | PROSUB | purple martin | N | |

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|--|-----------|--------------------------|-------|---------|
| <i>Prunus avium</i> | PRUAVI | sweet cherry | E | |
| <i>Prunus cerasifera</i> | PRUCER | thundercloud plum | E | |
| <i>Prunus domestica</i> | PRUDOM | common garden plum | E | |
| <i>Prunus emarginata</i> | PRUEMA | bittercherry | N | |
| <i>Prunus laurocerasus</i> | PRULAU | English laurel | E | |
| <i>Prunus lusitanica</i> | PRULUS | Portugal laurel | E | |
| <i>Prunus</i> | PRUNU | cherry (ornamental) | E | |
| <i>Prunus</i> sp. | Prunus | cultivated cherries | E | |
| <i>Prunella vulgaris</i> var. <i>lanceolata</i> | PRUVULLAN | heal-all; self-heal | N | |
| <i>Pseudotsuga menziesii</i> var. <i>menziesii</i> | PSEMENMEN | Douglas-fir | N | |
| <i>Pteridium aquilinum</i> | PTEAQU | Bracken Fern | N | |
| <i>Pyracantha</i> | PYRAC | firethorn | E | |
| <i>Pyrus communis</i> | PYRCOM | domestic pear | E | |
| <i>Pyrrocoma racemosa</i> var. <i>racemosa</i> | PYRRACRAC | racemose pyrrocoma | N | |
| <i>Pyrus</i> | PYRUS | pear (ornamental) | E | |
| <i>Quercus garryana</i> var. <i>garryana</i> | QUEGARGAR | Oregon white oak | N | |
| <i>Quercus kelloggii</i> | QUEKEL | California black oak | N | |
| <i>Quercus</i> sp. | QUERCUS | oak | ? | |
| <i>Quercus rubra</i> | QUERUB | red oak | E | |
| <i>Rana aurora aurora</i> | RANAURAU | northern red-legged frog | N | |
| <i>Ranunculus repens</i> | RANREP | creeping buttercup | E | |
| <i>Ranunculus uncinatus</i> | RANUNC | small-flowered buttercup | N | |
| <i>Rhamnus purshiana</i> | RHAPUR | casacara | N | |
| <i>Ribes sanguineum</i> | RIBSAN | red-flowering currant | N | |
| <i>Robinia pseudoacacia</i> | ROBPSE | black locust | E | |
| <i>Romanzoffia thompsonii</i> | ROMTHO | Thompson's mistmaiden | N | |
| <i>Rosa eglanteria</i> | ROSEGL | sweetbriar rose | E | |
| <i>Rosa gymnocarpa</i> | ROSGYM | baldhip rose | N | |
| <i>Rosa multiflora</i> | ROSMUL | multiflora rose | E | |
| <i>Rosa nutkana</i> | ROSNUT | Nootka rose | N | |
| <i>Rosa pisocarpa</i> | ROSPIS | clustered wild rose | N | |
| <i>Rotala ramosior</i> | ROTRAM | toothcup | N | |
| Rare prairie species | RPS | Rare prairie species | N | |
| <i>Rubus armeniacus</i> | RUBARM | Armenian blackberry | E | |
| <i>Rubus discolor</i> = <i>R. armeniacus</i> | RUBDIS | Himalaya blackberry | E | |
| <i>Rubus laciniatus</i> | RUBLAC | evergreen blackberry | E | |
| <i>Rubus parviflorus</i> | RUBPAR | thimbleberry | N | |
| <i>Rubus ursinus</i> | RUBURS | Pacific dewberry | N | |
| <i>Rudbeckia occidentalis</i> | RUDOCC | western coneflower | N | |
| residential weeds | RW | residential weeds | E | |
| <i>Salix hookeriana</i> | SALHOO | Hooker's willow | N | |
| <i>Salix</i> | SALIX | willow | ? | |
| <i>Salix lasiandra</i> | SALLAS | Pacific willow | N | |
| <i>Salix lucida</i> | SALLUC | shining willow | N | |
| <i>Salix lucida</i> ssp. <i>lasiandra</i> | SALLUCLAS | Pacific willow | N | |
| <i>Salix scouleriana</i> | SALSCO | Scouler's willow | N | |
| <i>Sambucus racemosa</i> | SAMRAM | red elderberry | N | |
| <i>Sanicula bipinnatifida</i> | SANBIP | purple sanicle | N | |
| <i>Sanicula crassicaulis</i> | SANCRA | Pacific snakeroot | N | |
| <i>Satureja douglasii</i> | SATDOU | yerba buena | N | |
| <i>Saxifraga oregana</i> | SAXORE | Oregon saxifrage | N | |
| <i>Schoenoplectus tabernaemontani</i> | SCHTAB | softstem bulrush | N | |
| <i>Sciurus griseus</i> | SCIGRI | western gray squirrel | N | |

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|---|-----------|-----------------------------|-------|---------|
| <i>Scirpus pallidus</i> | SCIPAL | pale bulrush | N | |
| <i>Scirpus pendulus</i> | SCIPEN | drooping bulrush | N | |
| <i>Senecio jacobaea</i> | SENJAC | tansy ragwort | E | |
| <i>Senecio macounii</i> | SENMAC | Puget groundsel | N | |
| <i>Sequoiadendron gigantea</i> | SEQGIG | giant sequoia | E | |
| <i>Sequoia sempervirens</i> | SEQSEM | coast redwood | E | |
| <i>Sericocarpus rigidus</i> (<i>Aster curtus</i>) | SERRIG | white-topped aster | N | |
| <i>Sherardia arvensis</i> | SHEARV | sherardia | E | |
| <i>Sialia mexicana</i> | SIAMEX | western bluebird | N | |
| <i>Sidalcea campestris</i> | SIDCAM | meadow sidalcea | N | |
| <i>Sidalcea cusickii</i> | SIDCUS | Cusick's mallow | N | |
| <i>Sidalcea nelsoniana</i> | SIDNEL | Nelson's checkermallow | N | |
| <i>Sidalcea virgata</i> | SIDVIR | Rosy Checkermallow | N | |
| <i>Silene hookeri</i> ssp. <i>hookeri</i> | SILHOOHOO | Hooker's pink | N | |
| <i>Silene menziesii</i> | SILMEN | Menzie's catchfly | N | |
| <i>Sisyrinchium hitchcockii</i> | SISHIT | Hitchcock's blue-eyed grass | N | |
| <i>Sitta carolinensis</i> | SITCAR | White-breasted Nuthatch | N | |
| <i>Sitta carolinensis aculeata</i> | SITCARACU | White-breasted Nuthatch | N | |
| <i>Solidago canadensis</i> | SOLCAN | Canada goldenrod | N | |
| <i>Solanum dulcamara</i> | SOLDUL | bitter nightshade | E | |
| Standard Prairie Invasives | SPI | Standard Prairie Invasives | E | |
| <i>Spiraea douglasii</i> | SPIDOU | Douglas' spiraea | N | |
| <i>Spizella passerine</i> | SPIPAS | chipping sparrow | N | |
| <i>Stachys chamissonis</i> var. <i>cooleyae</i> | STACOO | Cooley's hedgenettle | N | |
| <i>Strix occidentalis caurina</i> | STROCCAU | northern spotted owl | N | |
| <i>Sturnella neglecta</i> | STUNEG | western meadowlark | N | |
| <i>Symphoricarpos albus</i> | SYMALB | snowberry | N | |
| <i>Tadarida brasiliensis</i> | TADBRA | Brazilian free-tailed bat | N | |
| <i>Taeniatherum caput-medusae</i> | TAECAP | medusahead | E | |
| <i>Taraxacum officinale</i> | TAROFF | common dandelion | E | |
| <i>Tellima grandiflora</i> | TELGRA | fringecup | N | |
| <i>Thomomys bulbivorus</i> | THOBUL | camas pocket gopher | N | |
| <i>Thuja plicata</i> | THUPLI | western red cedar | N | |
| <i>Tolmiea menziesii</i> | TOLMEN | youth-on-age | N | |
| <i>Torilis arvensis</i> | TORARV | torilis | E | |
| <i>Toxicodendron diversilobum</i> | TOXDIV | poison oak | N | |
| <i>Trillium albidum</i> | TRIALB | sessile trillium | N | |
| <i>Trifolium dubium</i> | TRIDUB | least hop clover | E | |
| <i>Triteleia grandiflora</i> ssp. <i>howellii</i> | TRIGRAHOW | Howell's brodiaea | N | |
| <i>Triteleia hyacinthina</i> | TRIHYA | white brodiaea | N | |
| <i>Trientalis latifolia</i> | TRILAT | starflower | N | |
| <i>Trillium ovatum</i> | TRIOVA | western trillium | N | |
| <i>Tsuga heterophylla</i> | TSUHET | western hemlock | N | |
| Turfgrasses | TURFG | turfgrasses | E | |
| <i>Typha latifolia</i> | TYPLAT | cattail | N | |
| <i>Ulmus americana</i> | ULMAME | American elm | E | |
| <i>Umbellularia californica</i> | UMBCAL | California bay laurel | E | |
| <i>Urtica dioica</i> | URTDIO | stinging nettle | N | |
| <i>Utricularia gibba</i> | UTRGIB | humped bladderwort | N | |
| <i>Vancouveria hexandra</i> | VANHEX | inside-out flower | N | |
| <i>Ventenata dubia</i> | VENDUB | ventenata | E | |
| <i>Veronica americana</i> | VERAME | American speedwell | N | |
| <i>Veratrum</i> sp. | VERAT | corn lily | N | |

See "Vascular Plants of Lane County: An Annotated Checklist." N = Native, E = Exotic

| Scientific Name | Code | Common Name | N - E | Comment |
|--|-----------|----------------------|-------|---------|
| <i>Verbena hastata</i> | VERHAS | blue verbena | N | |
| <i>Vicia americana</i> | VICAME | American vetch | N | |
| <i>Vicia cracca</i> | VICCRA | cat peas | E | |
| <i>Vicia hirsuta</i> | VICHIR | hairy vetch | E | |
| <i>Vicia sativa</i> | VICSAT | common vetch | E | |
| <i>Vicia tetrasperma</i> | VICTET | slender vetch | E | |
| <i>Vinca major</i> | VINMAJ | periwinkle | E | |
| <i>Vinca minor</i> | VINMIN | dwarf periwinkle | E | |
| <i>Viola glabella</i> | VIOGLA | stream violet | N | |
| <i>Viola hallii</i> | VIOHAL | Hall's violet | N | |
| <i>Viola praemorsa</i> ssp. <i>praemorsa</i> | VIOPRAPRA | upland yellow violet | N | |
| <i>Wolffia borealis</i> | WOLBOR | dotted water-meal | N | |
| <i>Wolffia columbiana</i> | WOLCOL | Columbia water-meal | N | |
| <i>Wyethia angustifolia</i> | WYEANG | mule's ears | N | |
| <i>Zigadenus venenosus</i> | ZIGVEN | death camas | N | |

SRHS: LATIN NAME - COMMON NAME CROSSWALK TABLE

| Common Name | Scientific Name | Code | Comment |
|------------------------------|--------------------------------------|-----------|---------|
| acorn woodpecker | Melanerpes formicivorus | MELFOR | |
| ajuga | Ajuga reptans | AJUREP | |
| Alaska oniongrass | Melica subulata | melsub | |
| American elm | Ulmus americana | ULMAME | |
| American peregrine falcon | Falco peregrinus anatum | FALPERANA | |
| American speedwell | Veronica americana | VERAME | |
| American vetch | Vicia americana | VICAME | |
| annual ryegrass | Lolium multiflorum | LOLMUL | |
| Armenian blackberry | Rubus armeniacus | RUBARM | |
| bald eagle | Haliaeetus leucocephalus | HALLEU | |
| baldhip rose | Rosa gymnocarpa | ROSGYM | |
| band-tailed pigeon | Patagioenas fasciata | PATFAS | |
| barestem lomatium | Lomatium nudicaule | LOMNUD | |
| beautiful shooting star | macrocarpum | DODPULMAC | |
| bignone maple | Acer macrophyllum | ACEMAC | |
| bignone sedge | Carex amplifolia | CARAMP | |
| bitter nightshade | Solanum dulcamara | SOLDUL | |
| bittercherry | Prunus emarginata | PRUEMA | |
| black cottonwood | Populus balsamifera = P. trichocarpa | POPBAL | |
| black cottonwood | Populus trichocarpa | POPTRI | |
| black locust | Robinia pseudoacacia | ROBPSE | |
| black poplar | Populus nigra | POPNI | |
| black walnut | Juglans nigra | JUGNI | |
| blue bells | Mertensia platyphylla | MERPLA | |
| blue flax | Linum bienne | LINBI | |
| blue verbena | Verbena hastata | VERHAS | |
| blue wildrye | Elymus glaucus | ELYGLA | |
| Bracken Fern | Pteridium aquilinum | PTEAQU | |
| Bradshaw's lomatium | Lomatium bradshawii | LOMBRA | |
| Brazilian free-tailed bat | Tadarida brasiliensis | TADBRA | |
| broadpetal strawberry | Fragaria virginiana ssp. platypetala | FRAVIRPLA | |
| Brome grasses | Bromus spp. (native) | BROMUS | |
| Brome grasses | Bromus spp. (invasives) | BROMUSi | |
| bull thistle | Cirsium vulgare | CIRVUL | |
| California bay laurel | Umbellularia californica | UMBCAL | |
| California black oak | Quercus kelloggii | QUEKEL | |
| kelloggii) | Quercus californica | QUECAL | |
| California brome | Bromus carinatus | BROCAR | |
| California fescue | Festuca californica | FESCAL | |
| California hazelnut | Corylus cornuta var. californica | CORCORCAL | |
| California myotis | Myotis californicus | MYOCAL | |
| California oatgrass | Danthonia californica | DANCAL | |
| camas | Camassia quamash | camqua | |
| camas pocket gopher | Thomomys bulbivorus | THOBUL | |
| campion | Lychnis | LYCHN | |
| Canada goldenrod | Solidago canadensis | SOLCAN | |
| Canada thistle | Cirsium arvense | CIRARV | |
| candyflower; miner's lettuce | Claytonia sibirica | CLASIB | |
| casara | Rhamnus purshiana | RHAPUR | |

| Common Name | Scientific Name | Code | Comment |
|--------------------------|---|-----------|----------------------------|
| cat peas | <i>Vicia cracca</i> | VICCRA | |
| cattail | <i>Typha latifolia</i> | TYPLAT | |
| celery-leaved lovage | <i>Ligusticum apiifolium</i> | LIGAPI | |
| cherry (ornamental) | <i>Prunus</i> | PRUNU | |
| chipping sparrow | <i>Spizella passerine</i> | SPIPAS | |
| clasping-leaved dogbane | <i>Apocynum sibiricum</i> var. <i>salignum</i> | APOSIBSAL | |
| cleavers | <i>Galium aparine</i> | GALAPA | |
| clouded salamander | <i>Aneides ferreus</i> | ANEFER | |
| clustered wild rose | <i>Rosa pisocarpa</i> | ROSPIS | |
| coast redwood | <i>Sequoia sempervirens</i> | SEQSEM | |
| coast tarweed | <i>Madia sativa</i> | MADSAT | |
| coastal shield fern | <i>Dryopteris arguta</i> | DRYARG | |
| coffee fern | <i>Pellaea andromedifolia</i> | PELAND | |
| colonial bentgrass | <i>Agrostis capillaris</i> | AGRCAP | |
| Columbia brome | <i>Bromus vulgaris</i> | BROVUL | |
| Columbia lily | <i>Lilium columbianum</i> | LILCOL | |
| Columbia water-meal | <i>Wolffia columbiana</i> | WOLCOL | |
| common dandelion | <i>Taraxacum officinale</i> | TAROFF | |
| common garden plum | <i>Prunus domestica</i> | PRUDOM | |
| common horsetail | <i>Equisetum arvensis</i> | EQUARV | |
| common nighthawk | <i>Chordeiles minor</i> | CHOMIN | |
| common privet | <i>Ligustrum vulgare</i> | LIGVUL | |
| common St. Johnswort | <i>Hypericum perforatum</i> | HYPPER | |
| common teasel | <i>Dipsacus fullonum</i> | DIPFUL | |
| common velvetgrass | <i>Holcus lanatus</i> | HOLLAN | |
| common vetch | <i>Vicia sativa</i> | VICSAT | |
| Cooley's hedgenettle | <i>Stachys chamissonis</i> var. <i>cooleyae</i> | STACOO | |
| Cooper's Hawk | <i>Accipiter cooperi</i> | ACCCOO | |
| corn lily | <i>Veratrum</i> sp. | VERAT | |
| cotoneaster (ornamental) | <i>Cotoneaster</i> | COTON | |
| cow parsnip | <i>Heracleum lanatum</i> | HERLAN | |
| creeping bentgrass | <i>Agrostis stolonifera</i> | AGRSTO | |
| creeping buttercup | <i>Ranunculus repens</i> | RANREP | |
| creeping spikerush | <i>Eleocharis palustris</i> | ELEPAL | |
| creeping velvetgrass | <i>Holcus mollis</i> | HOLMOL | |
| crested dogtail grass | <i>Cynosurus cristatus</i> | CYNCRI | |
| cultivated cherries | <i>Prunus</i> sp. | Prunus | |
| Cusick's mallow | <i>Sidalcea cusickii</i> | SIDCUS | |
| cutleaf geranium | <i>Geranium dissectum</i> | GERDIS | |
| death camas | <i>Zigadenus venenosus</i> | ZIGVEN | |
| dense sedge | <i>Carex densa</i> | CARDEN | |
| Dewey's sedge | <i>Carex deweyana</i> | CARDEW | |
| dissected toothwort | <i>Cardamine nuttallii</i> var. <i>dissecta</i> | CARNUTDIS | |
| domestic apple | <i>Malus x domestica</i> | MALDOM | |
| domestic pear | <i>Pyrus communis</i> | PYRCOM | |
| dotted smartweed | <i>Polygonum punctatum</i> | POLPUN | |
| dotted water-meal | <i>Wolffia borealis</i> | WOLBOR | |
| Douglas' hawthorn | <i>Crataegus douglasii</i> | CRADOU | C. suksdorfii in SRHS area |
| Douglas' spiraea | <i>Spiraea douglasii</i> | SPIDOU | |
| Douglas-fir | <i>menziesii</i> | PSEMENMEN | |
| drooping bulrush | <i>Scirpus pendulus</i> | SCIPEN | |

| Common Name | Scientific Name | Code | Comment |
|----------------------------|---|-----------|---------|
| anemone | <i>Enemion stipitatum</i> | ENESTI | |
| dwarf montia | <i>Montia dichotema</i> | MONDIC | |
| dwarf Oregongrape | <i>Berberis nervosa</i> | BERNER | |
| dwarf periwinkle | <i>Vinca minor</i> | VINMIN | |
| enchanter's nightshade | <i>Circaea alpina</i> | CIRALP | |
| English daisy | <i>Bellis perennis</i> | BELPER | |
| English hawthorne | <i>Crataegus monogyna</i> | CRAMON | |
| English holly | <i>Ilex aquifolium</i> | ILEAQU | |
| English ivy | <i>Hedera helix</i> | HEDHEL | |
| English laurel | <i>Prunus laurocerasus</i> | PRULAU | |
| evergreen blackberry | <i>Rubus laciniatus</i> | RUBLAC | |
| exotic fruit trees | Exotic Fruit Trees | ExFruit | |
| false dandelion, cat's ear | <i>Hypochaeris radicata</i> | HYPRAD | |
| false Solomon's seal | <i>Maianthemum racemosum</i> | MAIRAC | |
| false-brome | <i>Brachypodium sylvaticum</i> | BRASYL | |
| farewell-to-spring | <i>Clarkia amoena</i> | CLAAMO | |
| Fender's blue butterfly | <i>Icaricia icarioides fenderi</i> | ICAICAFEN | |
| field forget-me-not | <i>Myosotis arvensis</i> | MYOARV | |
| firethorn | <i>Pyracantha</i> | PYRAC | |
| fleshy lupine | <i>Lupinus affinus</i> | LUPAFF | |
| foothill sedge | <i>Carex tumulicola</i> | CARTUM | |
| fowl bluegrass | <i>Poa palustris</i> | POAPAL | |
| fringe-cup | <i>Tellima grandiflora</i> | TELGRA | |
| ghost orchid | <i>Cephalanthera austini</i> | CEPAUS | |
| giant horsetail | <i>Equisetum telmateia</i> | EQUTEL | |
| giant sequoia | <i>Sequoiadendron gigantea</i> | SEQGIG | |
| golden-fruited sedge | <i>Carex aurea</i> | CARAUR | |
| grand fir | <i>Abies grandis</i> | ABIGRA | |
| grass pea | <i>Lathyrus sphaericus</i> | LATSPH | |
| grass widows | <i>Olsynium douglasii</i> | OLSDOU | |
| grasshopper sparrow | <i>Ammodramus savannarum</i> | AMMSAV | |
| hairy hawkbit | <i>taraxacoides</i> | LEOTARTAR | |
| hairy honeysuckle | <i>Lonicera hispidula</i> | LONHIS | |
| hairy vetch | <i>Vicia hirsuta</i> | VICHIR | |
| Hall's aster | <i>Aster hallii</i> | ASTHAL | |
| Hall's bentgrass | <i>Agrostis hallii</i> | AGRHAL | |
| Hall's violet | <i>Viola hallii</i> | VIOHAL | |
| heal-all; self-heal | <i>Prunella vulgaris</i> ssp. <i>lanceolata</i> | PRUVULLAN | |
| hedgehog dogtail | <i>Cynosurus echinatus</i> | CYNECH | |
| hemp dogbane | <i>Apocynum cannabinum</i> | APOCAN | |
| Henderson's sedge | <i>Carex hendersonii</i> | CARHEN | |
| Henderson's shooting star | <i>Dodecatheon hendersonii</i> | DODHEN | |
| herb Robert, stinky Bob | <i>Geranium robertianum</i> | GERROB | |
| Himalaya blackberry | <i>Rubus discolor</i> = <i>R. armeniacus</i> | RUBDIS | |
| grass | <i>Sisyrinchium hitchcockii</i> | SISHIT | |
| holy grass | <i>Hierochloa odorata</i> | HIEODO | |
| Hooker's fairybells | <i>Prosartes hookeri</i> | PROHOO | |
| Hooker's willow | <i>Salix hookeriana</i> | SALHOO | |
| Hooker's pink | <i>Silene hookeri</i> ssp. <i>hookeri</i> | SILHOOHOO | |
| horsechestnut | <i>Aesculus hippocastanum</i> | AESHIP | |
| horsetail | <i>Equisetum</i> sp. | EQUIS | |

| Common Name | Scientific Name | Code | Comment |
|--------------------------|-------------------------------------|-----------|---------|
| howellia | Howellia aquatilis | HOWAQU | |
| Howell's bentgrass | Agrostis howellii | AGRHOW | |
| Howell's brodiaea | Triteleia grandiflora ssp. howellii | TRIGRAHOW | |
| Howell's montia | Montia howellii | MONHOW | |
| humped bladderwort | Utricularia gibba | UTRGIB | |
| incense-cedar | Calocedrus decurrens | CALDEC | |
| inside-out flower | Vancouveria hexandra | VANHEX | |
| Irish ivy | Hedera hibernica | HEDHIB | |
| ivy | Hedera | HEDER | |
| Kentucky bluegrass | Poa pratensis | POAPRA | |
| Kincaid's lupine | Lupinus sulphureus ssp. kincaidii | LUPSULKIN | |
| ladyfern | Athyrium filix-femina | ATHFIL | |
| large-flowered collomia | Collomia grandiflora | COLGRA | |
| large-fruited lomatium | Lomatium macrocarpum | LOMMAC | |
| large-leaved avens | Geum macrophyllum | GEUMAC | |
| least hop clover | Trifolium dubium | TRIDUB | |
| Lechtlin's camas | Camassia leichtlinii | CAMLEI | |
| Lemmon's needlegrass | Achnatherum lemmonii | ACHLEM | |
| lemon balm | Melissa officinalis | MELOFF | |
| Lewis's woodpecker | Melanerpes lewis | MELLEW | |
| licorice fern | Polypodium glycerrhiza | POLGLY | |
| little willow flycatcher | Empidonax traillii brewsteri | EMPTRABRE | |
| lodgepole pine | Pinus contorta | PINCON | |
| long-eared myotis | Myotis evotis | MYOEVO | |
| long-legged myotis | Myotis volans | MYOVOL | |
| Maltese star-thistle | Centaurea melitensis | CENMEL | |
| many-leaved lupine | Lupinus polyphyllus | LUPPOL | |
| maple | Acer | ACER | |
| meadow foxtail | Alopecurus pratensis | ALOPRA | |
| meadow knapweed | Centaurea pratensis | CENPRA | |
| meadow sidalcea | Sidalcea campestris | SIDCAM | |
| medusahead | Taeniatherum caput-medusae | TAECAP | |
| Menzie's catchfly | Silene menziesii | SILMEN | |
| miner's lettuce | Claytonia perfoliata | CLAPER | |
| monkeyflower | Mimulus guttatus | MIMGUT | |
| mountain lady's-slipper | Cypripedium montanum | CYPMON | |
| mountain quail | Oreortyx pictus | OREPIC | |
| mountain sweet cicely | Osmorhiza berteroi | OSMBER | |
| mountain tarweed | Madia glomerata | MADGLO | |
| mule's ears | Wyethia angustifolia | WYEANG | |
| multiflora rose | Rosa multiflora | ROSMUL | |
| narrowleaf onion | Allium amplexans | ALLAMP | |
| narrowleaf pea | Lathyrus sylvestris | LATSYL | |
| narrowleaf waterplantain | Alisma gramineum | ALIGRA | |
| narrow-leaved milkweed | Asclepias fascicularis | ASCFAS | |
| Nelson's checkermallow | Sidalcea nelsoniana | SIDNEL | |
| night-blmg morning glory | atriplicifolia | CALATR | |
| nipplewort | Lapsana communis | LAPCOM | |
| Nootka rose | Rosa nutkana | ROSNUT | |
| Northern Goshawk | Accipiter gentilis | ACCGEN | |
| northern red-legged frog | Rana aurora aurora | RANAURAU | |

| Common Name | Scientific Name | Code | Comment |
|---------------------------|---|-----------|---------|
| northern spotted owl | <i>Strix occidentalis caurina</i> | STROCCAU | |
| Norway maple | <i>Acer platanoides</i> | ACEPLA | |
| oak | <i>Quercus</i> sp. | QUERCUS | |
| oak-associated species | oak-associated species | OAS | |
| oceanspray | <i>Holodiscus discolor</i> | HOLDIS | |
| oceanspray broomrape | <i>Orobanche pinorum</i> | OROPIN | |
| old man's beard | <i>Clematis vitalba</i> | CLEVIT | |
| olive-sided flycatcher | <i>Contopus cooperi</i> | CONCOO | |
| ookow | <i>Dichelostemma congestum</i> | DICCON | |
| orange honeysuckle | <i>Lonicera ciliata</i> | LONCIL | |
| orchardgrass | <i>Dactylis glomerata</i> | DACGLO | |
| Oregon ash | <i>Fraxinus latifolia</i> | FRALAT | |
| Oregon bigroot | <i>Marah oregana</i> | MARORE | |
| Oregon geranium | <i>Geranium oreganum</i> | GERORE | |
| Oregon iris | <i>Iris tenax</i> | IRITEN | |
| Oregon saxifrage | <i>Saxifraga oregana</i> | SAXORE | |
| Oregon slender salamander | <i>Batrachoseps wrightorum</i> | BATWRI | |
| Oregon sunshine | <i>Eriophyllum lanatum</i> | ERILAN | |
| Oregon vesper sparrow | <i>Poocetes gramineus affinis</i> | POOGRAFF | |
| Oregon white oak | <i>Quercus garryana</i> var. <i>garryana</i> | QUEGARGAR | |
| ornamental shrubs | Ornamental shrubs | ORNAM | |
| osoberry | <i>Oemleria cerasiformis</i> | OEMCER | |
| oxeye daisy | <i>Leucanthemum vulgare</i> | LEUVUL | |
| Pacific dewberry | <i>Rubus ursinus</i> | RUBURS | |
| Pacific madrone | <i>Arbutus menziesii</i> | ARBMEN | |
| Pacific ninebark | <i>Physocarpus capitatus</i> | PHYCAP | |
| Pacific pea | <i>Lathyrus vestitus</i> var. <i>ochropetalus</i> | LATVESOCH | |
| Pacific rush | <i>Juncus effusus</i> | JUNEFF | |
| Pacific serviceberry | <i>Amelanchier alnifolia</i> | AMEALN | |
| Pacific snakeroot | <i>Sanicula crassicaulis</i> | SANCRA | |
| Pacific willow | <i>Salix lasiandra</i> | SALLAS | |
| Pacific willow | <i>Salix lucida</i> ssp. <i>lasiandra</i> | SALLUCLAS | |
| pale bulrush | <i>Scirpus pallidus</i> | SCIPAL | |
| parentucellia | <i>Parentucellia viscosa</i> | PARVIS | |
| pear (ornamental) | <i>Pyrus</i> | PYRUS | |
| pennyroyal | <i>Mentha pulegium</i> | MENPUL | |
| perennial ryegrass | <i>Lolium perenne</i> | LOLPER | |
| perennial sweetpea | <i>Lathyrus latifolius</i> | LATLAT | |
| periwinkle | <i>Vinca major</i> | VINMAJ | |
| Philadelphia daisy | <i>Erigeron philadelphicus</i> | ERIPHI | |
| pileated woodpecker | <i>Dryocopus pileatus</i> | DRYPIL | |
| poison hemlock | <i>Conium maculatum</i> | CONMAC | |
| poison oak | <i>Toxicodendron diversilobum</i> | TOXDIV | |
| ponderosa pine | <i>Pinus ponderosa</i> | PINPON | |
| pondweed | <i>Potamogeton natans</i> | POTNAT | |
| Port Orford cedar | <i>Chamaecyparis lawsoniana</i> | CHALAW | |
| Portugal laurel | <i>Prunus lusitanica</i> | PRULUS | |
| prairie junegrass | <i>Koeleria macrantha</i> | KOEMAC | |
| prairie star | <i>Lithophragma parviflora</i> | LITPAR | |
| privet (ornamental) | <i>Ligustrum</i> | LIGUS | |
| Puget groundsel | <i>Senecio macounii</i> | SENMAC | |

| Common Name | Scientific Name | Code | Comment |
|--------------------------------|---|-----------|---------|
| purple martin | <i>Progne subis</i> | PROSUB | |
| purple sanicle | <i>Sanicula bipinnatifida</i> | SANBIP | |
| quackgrass | <i>Agropyron repens</i> | AGRREP | |
| Queen Anne's lace | <i>Daucus carota</i> | DAUCAR | |
| racemose pyrrocoma | <i>Pyrrocoma racemosa</i> var. <i>racemosa</i> | PYRRACRAC | |
| Rare prairie species | Rare prairie species | RPS | |
| rattlesnake plantain | <i>Goodyera oblongifolia</i> | GOOBL | |
| red alder | <i>Alnus rubra</i> | ALNRUB | |
| red elderberry | <i>Sambucus racemosa</i> | SAMRAM | |
| red oak | <i>Quercus rubra</i> | QUERUB | |
| red tree vole | <i>Arborimus longicaudus longicaudis</i> | ARBLONLON | |
| red twig dogwood | <i>Cornus sericea</i> | CORSER | |
| red-flowering currant | <i>Ribes sanguineum</i> | RIBSAN | |
| reed canarygrass | <i>Phalaris arundinacea</i> | PHAARU | |
| residential weeds | residential weeds | RW | |
| rice-root lily; Chocolate lily | <i>Fritillaria affinis</i> | FRIAFF | |
| ripgut brome | <i>Bromus diandrus</i> | BRODIA | |
| riverbank lupine | <i>Lupinus rivularis</i> | LUPRIV | |
| Roemer's fescue | <i>Festuca roemeri</i> | FESROE | |
| rosin weed, tackweed | <i>Calycadenia truncata</i> | CALTRU | |
| Rosy Checkermallow | <i>Sidalcea virgata</i> | SIDVIR | |
| rye brome | <i>Bromus secalinus</i> | BROSEC | |
| Scot's broom | <i>Cytisus scoparius</i> | CYTSCO | |
| Scouler's willow | <i>Salix scouleriana</i> | SALSCO | |
| sea pink | <i>Plectritis congesta</i> | PLECON | |
| sessile trillium | <i>Trillium albidum</i> | TRIALB | |
| shaggy horkelia | <i>Horkelia congesta</i> | HORCON | |
| shaggy horkelia | <i>Horkelia congesta</i> ssp. <i>congesta</i> | HORCONCON | |
| sherardia | <i>Sherardia arvensis</i> | SHEARV | |
| shining geranium | <i>Geranium lucidum</i> | GERLUC | |
| shining willow | <i>Salix lucida</i> | SALLUC | |
| showy milkweed | <i>Asclepias speciosa</i> | ASCspe | |
| Sierra pea | <i>Lathyrus nevadensis</i> | LATNEV | |
| silver hairgrass | <i>Aira caryophyllea</i> | AIRCAR | |
| silver hairgrass | <i>Aira caryophyllea</i> var. <i>caryophyllea</i> | AIRCARCAR | |
| silver-haired bat | <i>Lasionycteris noctivagans</i> | LASNOC | |
| sinister gilia | <i>Gilia sinistra</i> ssp. <i>sinistra</i> | GILSINSIN | |
| Sitka brome | <i>Bromus sitchensis</i> | BROSIT | |
| slender cinquefoil | <i>Potentilla gracilis</i> | POTGRA | |
| slender hairgrass | <i>Deschampsia elongata</i> | DESELO | |
| slender rush | <i>Juncus tenuis</i> | JUNTEN | |
| slender vetch | <i>Vicia tetrasperma</i> | VICTET | |
| Slender Wheatgrass | <i>Elymus trachycaulus</i> | ELYTRA | |
| slough sedge | <i>Carex obnupta</i> | CAROBN | |
| small-flowered buttercup | <i>Ranunculus uncinatus</i> | RANUNC | |
| snowberry | <i>Symphoricarpos albus</i> | SYMALB | |
| soft brome | <i>Bromus hordeaceus</i> | BROHOR | |
| soft geranium | <i>Geranium molle</i> | GERMOL | |
| softstem bulrush | <i>Schoenoplectus tabernaemontani</i> | SCHTAB | |
| spotted coralroot | <i>Corallorhiza maculata</i> | CORMAC | |
| spreading dogbane | <i>Apocynum androsaemifolium</i> | APOAND | |

| Common Name | Scientific Name | Code | Comment |
|-----------------------------|--|-----------|---------|
| spreading rush | <i>Juncus patens</i> | JUNPAT | |
| spring beauty | <i>Cardamine nuttallii</i> | CARNUT | |
| spring beauty | <i>Cardamine nuttallii</i> var. <i>nuttallii</i> | CARNUTNUT | |
| spurge laurel | <i>Daphne laureola</i> | DAPLAU | |
| Standard Prairie Invasives | Standard Prairie Invasives | SPI | |
| starflower | <i>Trientalis latifolia</i> | TRILAT | |
| Solomon's seal | <i>Maianthemum stellatum</i> | MAISTE | |
| sterile brome | <i>Bromus sterilis</i> | BROSTE | |
| stinging nettle | <i>Urtica dioica</i> | URTDIO | |
| streaked horned lark | <i>Eremophila alpestris strigata</i> | EREALPSTR | |
| stream violet | <i>Viola glabella</i> | VIOGLA | |
| sweet cherry | <i>Prunus avium</i> | PRUAVI | |
| sweet vernalgrass | <i>Anthoxanthum odoratum</i> | ANTODO | |
| sweetbriar rose | <i>Rosa eglanteria</i> | ROSEGL | |
| tall annual willowherb | <i>Epilobium brachycarpum</i> | EPIBRA | |
| tall bugbane | <i>Cimicifuga elata</i> | CIMELA | |
| tall fescue | <i>Festuca arundinacea</i> | FESARU | |
| tall larkspur | <i>Delphinium trolliifolium</i> | DELTRO | |
| tall mannagrass | <i>Glyceria striata</i> | GLYSTR | |
| tall oatgrass | <i>Arrhenatherum elatius</i> | ARRELA | |
| tall Oregongrape | <i>Berberis aquifolium</i> | BERAQU | |
| tansy ragwort | <i>Senecio jacobaea</i> | SENJAC | |
| taperfruit shortscale sedge | <i>Carex leptopoda</i> | CARLEP | |
| Taylor's checkerspot | <i>Euphydryas editha taylori</i> | EUPEDITAY | |
| thimbleberry | <i>Rubus parviflorus</i> | RUBPAR | |
| thin-leaved peavine | <i>Lathyrus holochlorus</i> | LATHOL | |
| Thompson's mistmaiden | <i>Romanzoffia thompsonii</i> | ROMTHO | |
| thundercloud plum | <i>Prunus cerasifera</i> | PRUCER | |
| timothy | <i>Phleum pratense</i> | PHLPRA | |
| timwort | <i>Cicendia quadrangularis</i> | CICQUA | |
| toad rush | <i>Juncus bufonius</i> | JUNBUF | |
| toothcup | <i>Rotala ramosior</i> | ROTRAM | |
| torilis | <i>Torilis arvensis</i> | TORARV | |
| Townsend's big-eared bat | <i>Corynorhinus townsendii</i> | CORTOW | |
| trailplant; pathfinder | <i>Adenocaulon bicolor</i> | ADEBIC | |
| tufted hairgrass | <i>Deschampsia cespitosa</i> | DESCES | |
| turfgrasses | Turfgrasses | TURFG | |
| upland yellow violet | <i>Viola praemorsa</i> ssp. <i>praemorsa</i> | VIOPRAPRA | |
| ventenata | <i>Ventenata dubia</i> | VENDUB | |
| vine maple | <i>Acer circinatum</i> | ACECIR | |
| wall lettuce | <i>Lactuca muralis</i> | LACMUR | |
| water parsley | <i>Oenanthe sarmentosa</i> | OENSAR | |
| waterleaf | <i>Hydrophyllum tenuipes</i> | HYDTEN | |
| wayside aster | <i>Eucephalus (Aster) vialis</i> | EUCVIA | |
| western bluebird | <i>Sialia mexicana</i> | SIAMEX | |
| western columbine | <i>Aquilegia formosa</i> | AQUFOR | |
| Western Coneflower | <i>Rudbeckia occidentalis</i> | RUDOCC | |
| western dogwood | <i>Cornus nuttallii</i> | CORNUT | |
| western Fescue | <i>Festuca occidentalis</i> | FESOCC | |
| western gray squirrel | <i>Sciurus griseus</i> | SCIGRI | |
| western hemlock | <i>Tsuga heterophylla</i> | TSUHET | |

| Common Name | Scientific Name | Code | Comment |
|-----------------------------|--|-----------|--------------------------------|
| western mannagrass | <i>Glyceria occidentalis</i> | GLYOCC | |
| western meadowlark | <i>Sturnella neglecta</i> | STUNEG | |
| western rattlesnake | <i>Crotalus viridis</i> | CROVIR | |
| western red cedar | <i>Thuja plicata</i> | THUPLI | |
| western screech-owl | <i>Otus kennicottii</i> | OTUKEN | |
| western swordfern | <i>Polystichum munitum</i> | POLMUN | |
| western toad | <i>Bufo boreas</i> | BUFBOR | |
| western trillium | <i>Trillium ovatum</i> | TRIOVA | |
| western witchgrass | <i>Panicum occidentale</i> | PANOCC | |
| white alder | <i>Alnus rhombifolia</i> | ALNRHO | |
| white brodiaea | <i>Triteleia hyacinthina</i> | TRIHYA | |
| White-breasted Nuthatch | <i>Sitta carolinensis</i> | SITCAR | |
| White-breasted Nuthatch | <i>Sitta carolinensis aculeata</i> | SITCARACU | |
| white-flowered navarretia | <i>Navarretia leucocephala</i> | NAVLEU | |
| white-footed vole | <i>Arborimus albipes</i> | ARBALB | |
| white-topped aster | <i>Sericocarpus rigidus (Aster curtus)</i> | SERRIG | |
| wild oats | <i>Avena fatua</i> | AVEFAT | |
| Willamette daisy | <i>decumbens</i> | ERIDECDEC | |
| Willamette navarretia | <i>Navarretia willamettensis</i> | NAVWIL | |
| Willamette Valley larkspur | <i>Delphinium oreganum</i> | DELORE | |
| willow | <i>Salix</i> | SALIX | |
| woodland tarweed | <i>Madia madioides</i> | MADMAD | = <i>Ansiocarpus madioides</i> |
| woods strawberry | <i>Fragaria vesca</i> | FRAVES | |
| yellow & blue forget-me-not | <i>Myosotis discolor</i> | MYODIS | |
| yellow fawn lily | <i>Erythronium oreganum</i> | ERYORE | |
| yellow Iris | <i>Iris pseudacorus</i> | IRIPSE | |
| yellow vetchling | <i>Lathyrus aphaca</i> | lataph | |
| yellow-breasted chat | <i>Icteria virens</i> | ICTVIR | |
| yerba buena | <i>Satureja douglasii</i> | SATDOU | |
| youth-on-age | <i>Tolmiea menziesii</i> | TOLMEN | |